

Statistics geared to income by year, variable, sex, region and observations, 2011-2022

			Västerbotten county				Norrbotten county			
			Proportion of persons, percent	Proportion of persons with income support, without other remuneration, percent	Proportion of persons without income support or introductory allowance, percent	Proportion of persons with foothold allowance, percent	Proportion of persons, percent	Proportion of persons with income support, without other remuneration, percent	Proportion of persons without income support or introductory allowance, percent	Proportion of persons with foothold allowance, percent
2011	all 20-64 years of age	men and women	12,3	0,6	95,7	0,2	10,4	0,5	96,4	0,2
		men	10,4	0,7	95,5	0,2	8,7	0,5	96,4	0,2
		women	14,3	0,5	95,9	0,2	12,3	0,4	96,4	0,2
	age 20-24	men and women	35,9	1,3	91,5	0,2	28,4	0,9	92,2	0,4
		men	32,5	1,4	90,8	0,3	25,3	0,9	92,5	0,4
		women	39,3	1,1	92,2	0,2	32,2	0,9	91,9	0,4
	age 25-34	men and women	16,6	0,7	94,5	0,3	13,7	0,7	94,7	0,4
		men	13,0	0,9	94,1	0,3	8,9	0,8	94,7	0,4
		women	20,7	0,5	94,9	0,3	19,6	0,6	94,7	0,4
	age 35-44	men and women	5,7	0,5	96,1	0,2	6,4	0,5	96,6	0,2
		men	3,8	0,5	96,4	0,2	4,0	0,6	96,9	0,2
		women	7,7	0,5	95,7	0,3	8,9	0,4	96,3	0,3
	age 45-54	men and women	4,7	0,5	96,7	0,1	4,8	0,3	97,2	0,1
		men	4,0	0,5	96,7	0,1	4,2	0,4	97,1	0,1
		women	5,5	0,5	96,8	0,1	5,4	0,3	97,2	0,1
	age 55-64	men and women	7,1	0,3	98,3	0,0	8,0	0,2	98,6	0,0
		men	6,8	0,3	98,0	0,0	8,2	0,2	98,5	0,0
		women	7,4	0,2	98,6	0,1	7,8	0,1	98,8	0,0
2012	all 20-64 years of age	men and women	12,2	0,6	96,1	0,3	10,0	0,5	96,7	0,3
		men	10,4	0,7	96,0	0,3	8,4	0,5	96,6	0,4
		women	14,2	0,6	96,3	0,3	11,8	0,4	96,9	0,3
	age 20-24	men and women	34,4	1,2	92,5	0,4	27,3	0,8	94,4	0,6
		men	31,1	1,5	92,0	0,5	24,9	0,9	94,2	0,6
		women	37,9	1,0	93,1	0,3	30,1	0,8	94,6	0,6
	age 25-34	men and women	16,5	0,7	95,1	0,6	13,2	0,7	94,9	0,7
		men	13,0	0,9	94,7	0,6	8,8	0,7	94,9	0,8
		women	20,6	0,5	95,5	0,6	18,6	0,7	94,9	0,7
	age 35-44	men and women	6,1	0,5	96,5	0,4	6,1	0,5	96,6	0,4
		men	4,1	0,5	96,7	0,4	4,1	0,5	96,7	0,3
		women	8,2	0,6	96,2	0,5	8,3	0,4	96,6	0,4
	age 45-54	men and women	4,6	0,6	97,1	0,2	4,4	0,4	97,4	0,2
		men	4,0	0,6	97,1	0,2	3,7	0,5	97,3	0,2
		women	5,2	0,6	97,1	0,2	5,2	0,3	97,5	0,2
	age 55-64	men and women	7,1	0,3	98,4	0,1	7,5	0,2	98,6	0,1
		men	6,7	0,3	98,2	0,1	7,5	0,2	98,4	0,1
		women	7,5	0,3	98,6	0,1	7,6	0,2	98,9	0,0
2013	all 20-64 years of age	men and women	12,2	0,6	96,4	0,5	10,0	0,4	96,8	0,6
		men	10,2	0,7	96,2	0,5	8,5	0,5	96,7	0,6
		women	14,2	0,5	96,7	0,5	11,6	0,4	97,0	0,5
	age 20-24	men and women	34,2	1,1	93,0	0,6	26,6	0,8	93,9	0,8
		men	30,9	1,3	92,2	0,6	25,0	0,9	93,5	0,9
		women	37,6	0,9	93,8	0,5	28,6	0,7	94,5	0,7
	age 25-34	men and women	16,5	0,6	95,4	0,9	12,9	0,6	95,4	1,3
		men	12,7	0,7	95,0	0,9	8,6	0,7	95,2	1,4

	women	20,7	0,5	95,9	0,9	18,0	0,4	95,5
age 35-44	men and women	6,0	0,5	96,7	0,6	6,1	0,4	96,9
	men	4,2	0,5	96,9	0,6	4,3	0,5	97,0
	women	8,1	0,5	96,5	0,7	8,0	0,4	96,9
age 45-54	men and women	4,7	0,5	97,4	0,4	4,6	0,3	97,6
	men	3,9	0,6	97,4	0,3	3,8	0,4	97,7
	women	5,6	0,5	97,3	0,4	5,4	0,3	97,5
age 55-64	men and women	6,9	0,3	98,5	0,1	7,5	0,2	98,7
	men	6,6	0,4	98,3	0,1	7,3	0,1	98,6
	women	7,2	0,3	98,8	0,1	7,6	0,2	98,8
2014	all 20-64 years of age	men and women	11,7	0,6	96,6	0,6	9,7	0,4
	men	10,0	0,6	96,4	0,6	8,2	0,5	96,8
	women	13,5	0,5	96,8	0,6	11,3	0,4	97,2
age 20-24	men and women	33,2	1,0	93,7	0,7	26,0	0,7	94,3
	men	30,8	1,2	92,8	0,8	24,6	0,9	93,7
	women	35,7	0,9	94,6	0,6	27,8	0,5	95,0
age 25-34	men and women	15,4	0,6	95,6	1,0	12,4	0,6	95,7
	men	12,1	0,8	95,2	1,0	8,0	0,6	95,5
	women	19,0	0,4	96,0	1,1	17,7	0,5	96,0
age 35-44	men and women	6,0	0,5	96,9	0,7	5,7	0,4	97,1
	men	4,2	0,5	97,1	0,7	3,8	0,5	97,2
	women	8,0	0,5	96,7	0,8	7,7	0,4	97,1
age 45-54	men and women	4,4	0,5	97,4	0,4	4,4	0,4	97,8
	men	3,9	0,5	97,6	0,3	3,5	0,4	97,8
	women	5,0	0,5	97,3	0,5	5,2	0,4	97,8
age 55-64	men and women	6,6	0,3	98,5	0,1	7,4	0,2	98,7
	men	6,3	0,4	98,3	0,1	7,6	0,2	98,5
	women	7,0	0,3	98,7	0,1	7,2	0,2	98,8
2015	all 20-64 years of age	men and women	11,2	0,5	96,5	0,7	9,2	0,4
	men	9,4	0,6	96,2	0,7	8,0	0,5	96,9
	women	13,2	0,5	96,7	0,7	10,5	0,4	97,3
age 20-24	men and women	31,2	0,9	93,9	0,8	24,4	0,7	94,5
	men	28,1	1,1	92,9	0,9	24,0	0,8	94,0
	women	34,3	0,7	95,1	0,7	24,7	0,6	95,1
age 25-34	men and women	14,9	0,6	95,3	1,2	11,9	0,5	95,7
	men	11,4	0,7	94,9	1,2	7,8	0,6	95,5
	women	18,9	0,5	95,7	1,2	16,8	0,5	96,0
age 35-44	men and women	5,7	0,5	96,7	0,9	5,5	0,4	97,2
	men	3,9	0,4	96,9	0,8	4,0	0,4	97,4
	women	7,7	0,5	96,4	1,0	7,2	0,3	97,1
age 45-54	men and women	4,4	0,5	97,3	0,4	4,2	0,4	97,8
	men	3,7	0,5	97,4	0,3	3,5	0,5	97,7
	women	5,1	0,4	97,3	0,5	5,0	0,3	97,9
age 55-64	men and women	6,8	0,4	98,3	0,2	7,1	0,2	98,7
	men	6,6	0,4	98,1	0,2	7,2	0,2	98,5
	women	6,9	0,3	98,6	0,1	6,9	0,2	98,8
2016	all 20-64 years of age	men and women	10,6	0,6	96,6	0,8	8,7	0,4
	men	8,8	0,6	96,4	0,8	7,5	0,5	96,8
	women	12,6	0,5	96,9	0,7	9,9	0,4	97,3
age 20-24	men and women	28,7	0,8	94,1	1,0	23,0	0,7	94,5
	men	26,0	1,0	93,1	1,1	22,6	0,8	94,1
	women	31,4	0,6	95,2	0,9	23,4	0,5	95,0
age 25-34	men and women	14,2	0,6	95,7	1,3	11,4	0,5	95,8

		men	10,6	0,7	95,2	1,3	7,7	0,6	95,3	1,7
		women	18,3	0,5	96,2	1,2	15,8	0,4	96,4	1,3
age 35-44		men and women	5,7	0,5	96,8	0,9	5,5	0,5	97,1	1,1
		men	4,0	0,4	96,9	0,9	3,7	0,5	97,2	1,0
		women	7,6	0,6	96,7	0,9	7,2	0,4	97,0	1,1
age 45-54		men and women	4,1	0,5	97,6	0,5	3,9	0,4	97,9	0,4
		men	3,4	0,5	97,7	0,4	3,4	0,4	97,7	0,4
		women	4,9	0,6	97,4	0,6	4,5	0,3	98,0	0,4
age 55-64		men and women	6,8	0,4	98,2	0,2	6,4	0,3	98,6	0,1
		men	6,3	0,5	98,1	0,3	6,6	0,3	98,4	0,1
		women	7,2	0,4	98,4	0,2	6,3	0,3	98,8	0,1
2017	all 20-64 years of age	men and women	10,2	0,6	96,6	1,0	8,4	0,5	97,0	1,1
		men	8,4	0,6	96,4	1,1	7,2	0,5	96,7	1,2
		women	12,2	0,6	96,9	0,9	9,7	0,4	97,3	0,9
age 20-24		men and women	28,4	0,7	94,4	1,3	22,8	0,6	94,5	1,8
		men	25,2	0,7	93,3	1,6	22,4	0,6	94,0	2,2
		women	31,6	0,7	95,6	1,0	23,4	0,6	95,2	1,2
age 25-34		men and women	13,7	0,7	95,6	1,6	10,8	0,6	95,8	2,0
		men	10,2	0,8	95,2	1,7	7,4	0,7	95,2	2,2
		women	17,7	0,6	96,0	1,5	14,8	0,5	96,5	1,8
age 35-44		men and women	5,4	0,5	96,6	1,2	5,5	0,5	96,8	1,3
		men	3,9	0,5	96,8	1,2	3,6	0,5	96,9	1,3
		women	7,1	0,5	96,4	1,2	7,6	0,5	96,7	1,3
age 45-54		men and women	3,7	0,5	97,6	0,6	3,6	0,4	97,9	0,5
		men	3,1	0,4	97,7	0,6	3,1	0,4	97,9	0,5
		women	4,4	0,6	97,5	0,5	4,2	0,3	97,9	0,6
age 55-64		men and women	6,5	0,5	98,2	0,2	6,3	0,3	98,5	0,1
		men	5,8	0,5	98,0	0,3	6,2	0,3	98,4	0,1
		women	7,1	0,5	98,4	0,2	6,5	0,3	98,6	0,1
2018	all 20-64 years of age	men and women	9,7	0,6	96,7	1,0	7,8	0,5	97,1	1,1
		men	7,8	0,7	96,5	1,0	6,7	0,6	96,8	1,2
		women	11,7	0,6	96,9	1,0	9,0	0,5	97,4	0,9
age 20-24		men and women	27,2	0,8	94,4	1,5	22,1	0,8	94,5	1,8
		men	23,5	0,8	93,4	1,7	22,1	0,8	93,8	2,3
		women	31,0	0,7	95,4	1,2	22,1	0,8	95,4	1,2
age 25-34		men and women	13,0	0,8	95,7	1,6	10,0	0,6	95,9	1,9
		men	9,3	0,9	95,3	1,6	6,9	0,7	95,5	2,0
		women	17,2	0,6	96,2	1,6	13,7	0,5	96,4	1,8
age 35-44		men and women	5,1	0,6	96,8	1,2	4,7	0,5	96,9	1,4
		men	3,7	0,6	97,1	1,1	3,3	0,6	96,9	1,4
		women	6,7	0,6	96,5	1,3	6,3	0,5	97,0	1,4
age 45-54		men and women	3,6	0,6	97,6	0,6	3,3	0,4	98,0	0,5
		men	3,0	0,5	97,8	0,6	2,7	0,4	98,0	0,6
		women	4,2	0,7	97,5	0,6	3,9	0,4	98,0	0,5
age 55-64		men and women	6,3	0,6	98,1	0,2	6,2	0,3	98,6	0,1
		men	5,8	0,6	97,9	0,2	5,8	0,3	98,4	0,2
		women	6,8	0,5	98,3	0,2	6,6	0,3	98,7	0,1
2019	all 20-64 years of age	men and women	9,4	0,7	96,8	0,9	7,7	0,6	97,0	0,9
		men	7,5	0,7	96,5	0,8	6,7	0,6	96,7	0,9
		women	11,5	0,6	97,2	0,9	8,7	0,5	97,3	0,9
age 20-24		men and women	27,9	0,8	93,8	1,3	22,4	0,9	93,2	1,5
		men	24,2	1,0	91,6	1,6	21,9	1,1	91,7	1,8
		women	31,9	0,7	96,2	1,0	23,1	0,7	95,3	1,2

age 25-34	men and women	12,6	0,8	96,3	1,3	10,0	0,8	96,1	1,4	
	men	8,6	1,0	95,9	1,1	7,2	0,8	95,7	1,4	
	women	17,1	0,6	96,8	1,4	13,4	0,7	96,6	1,5	
age 35-44	men and women	5,0	0,6	97,0	1,1	4,7	0,6	97,1	1,3	
	men	3,5	0,6	97,2	1,0	3,2	0,6	97,3	1,1	
	women	6,6	0,6	96,9	1,2	6,3	0,6	96,8	1,4	
age 45-54	men and women	3,1	0,6	97,7	0,5	3,0	0,5	98,0	0,4	
	men	2,6	0,5	97,9	0,5	2,6	0,4	98,1	0,4	
	women	3,7	0,7	97,6	0,5	3,4	0,5	97,9	0,5	
age 55-64	men and women	5,9	0,5	98,2	0,2	6,0	0,4	98,5	0,1	
	men	5,8	0,5	98,0	0,2	5,8	0,5	98,4	0,1	
	women	6,0	0,6	98,3	0,2	6,2	0,3	98,6	0,1	
2020	all 20-64 years of age	men and women	9,4	0,7	97,0	0,6	7,7	0,6	97,2	0,6
	men	7,3	0,8	96,7	0,6	6,6	0,7	96,9	0,5	
	women	11,6	0,6	97,3	0,7	9,0	0,6	97,5	0,7	
age 20-24	men and women	28,4	1,0	94,7	0,9	21,6	0,8	94,2	0,9	
	men	24,3	1,2	93,2	1,2	20,7	0,9	93,2	0,9	
	women	32,7	0,7	96,2	0,7	22,8	0,7	95,6	0,8	
age 25-34	men and women	12,5	0,8	96,4	0,9	10,0	0,8	96,4	1,0	
	men	8,8	1,0	96,0	0,7	7,0	0,9	96,1	0,8	
	women	16,7	0,6	96,9	1,1	13,6	0,6	96,8	1,2	
age 35-44	men and women	5,1	0,6	97,1	0,7	4,7	0,7	97,2	0,8	
	men	3,4	0,7	97,2	0,6	3,2	0,7	97,3	0,6	
	women	6,9	0,6	97,0	0,9	6,4	0,6	97,1	1,1	
age 45-54	men and women	3,1	0,6	97,8	0,4	3,1	0,5	98,0	0,3	
	men	2,4	0,5	98,1	0,4	2,6	0,5	98,0	0,3	
	women	3,9	0,7	97,5	0,4	3,7	0,5	98,0	0,3	
age 55-64	men and women	5,7	0,6	98,2	0,2	6,3	0,4	98,5	0,1	
	men	5,2	0,6	98,0	0,2	5,8	0,5	98,4	0,1	
	women	6,3	0,6	98,4	0,2	6,9	0,4	98,6	0,1	
2021	all 20-64 years of age	men and women	9,0	0,6	97,4	0,4	7,2	0,6	97,5	0,4
	men	7,1	0,7	97,2	0,4	6,1	0,7	97,3	0,3	
	women	11,1	0,6	97,6	0,5	8,4	0,6	97,8	0,5	
age 20-24	men and women	27,7	0,7	95,9	0,7	20,4	0,8	95,7	0,5	
	men	23,1	0,9	95,1	0,7	19,6	0,8	95,3	0,5	
	women	32,6	0,6	96,7	0,6	21,6	0,8	96,4	0,5	
age 25-34	men and women	12,0	0,7	96,9	0,5	9,1	0,8	96,8	0,6	
	men	8,4	0,9	96,5	0,4	6,3	0,9	96,4	0,5	
	women	16,0	0,5	97,3	0,6	12,6	0,6	97,1	0,9	
age 35-44	men and women	4,7	0,6	97,4	0,5	4,7	0,6	97,4	0,6	
	men	3,3	0,7	97,5	0,4	3,1	0,6	97,5	0,4	
	women	6,2	0,6	97,4	0,6	6,6	0,6	97,4	0,7	
age 45-54	men and women	2,8	0,6	98,0	0,3	2,8	0,6	98,1	0,2	
	men	2,3	0,4	98,3	0,2	2,4	0,6	98,1	0,2	
	women	3,4	0,7	97,7	0,4	3,2	0,5	98,1	0,3	
age 55-64	men and women	5,4	0,6	98,3	0,1	5,7	0,5	98,6	0,1	
	men	5,0	0,6	98,1	0,1	5,4	0,5	98,5	0,1	
	women	5,9	0,6	98,5	0,2	5,9	0,5	98,8	0,1	
2022	all 20-64 years of age	men and women	8,4	0,6	97,7	0,3	6,7	0,5	97,9	0,3
	men	6,4	0,7	97,6	0,3	5,6	0,5	97,8	0,3	
	women	10,5	0,6	97,9	0,4	7,9	0,5	98,0	0,4	
age 20-24	men and women	25,6	0,5	96,9	0,5	19,0	0,4	97,0	0,5	
	men	20,9	0,5	96,4	0,6	17,5	0,4	96,7	0,5	

	women	30,4	0,5	97,4	0,4	21,1	0,4	97,5	0,4
age 25-34	men and women	10,7	0,7	97,3	0,5	8,1	0,6	97,2	0,5
	men	7,3	0,9	97,0	0,4	5,2	0,7	96,9	0,4
	women	14,6	0,5	97,7	0,6	11,5	0,6	97,6	0,7
age 35-44	men and women	4,3	0,6	97,7	0,4	4,3	0,6	97,7	0,5
	men	3,0	0,7	97,7	0,3	2,8	0,6	97,9	0,4
	women	5,8	0,6	97,8	0,5	6,0	0,6	97,6	0,6
age 45-54	men and women	2,7	0,5	98,0	0,3	2,9	0,5	98,3	0,2
	men	2,1	0,4	98,3	0,2	2,3	0,5	98,4	0,2
	women	3,2	0,6	97,7	0,3	3,4	0,5	98,2	0,2
age 55-64	men and women	5,3	0,6	98,4	0,1	5,5	0,4	98,7	0,1
	men	4,8	0,6	98,3	0,1	5,5	0,4	98,7	0,1
	women	5,7	0,6	98,6	0,1	5,6	0,5	98,8	0,0

Duration of residence is calculated based on number of days, and a new year does not occur until 364 days become 365 days. This means that if a person has been recorded in the Swedish population register for 729 days (1 year and 364 days), that person ends up in the group Duration of residence 0–1 years. If the person has been recorded in the population register for 730 days, the person ends up in the group Duration of residence 2–3 years. The breakdown of other groups works in a similar way, which means that a person must have a duration of residence of at least 3,650 days to end up in the group Duration of residence 10–years.

Ahead of the year 2000, considerable changes were made to the Register of Education to improve quality, with a new nomenclature and a number of new sources, which led to a break in the time series. For this reason, comparisons with prior years must be made with great caution. For more information see: More information about the education of the population.

Proportion of persons, percent: The number of persons with aggregated gross salary lower than 1.5 base amounts, divided by the population. Aged 20–64 years.

Source: The Income and Taxation Register (IoT)

Proportion of persons with income support, without other remuneration, percent: The numerator consists of persons who, during the past calendar year, have had income support for at least 10 months, who have not had unemployment benefit, activity support, sick pay or rehabilitation benefit, or sickness and activity allowance, and whose total earned income, including remuneration from labour market policy measures, has been below the eligibility limit for sick pay. The denominator consists of the population. Aged 20–64 years.

Source: The Income and Taxation Register

Source: STATIV database

Proportion of persons without income support or introductory allowance, percent: The numerator consists of persons who, in the past calendar year, have not had income support or introductory allowance. Due to item non-response in the collection of income support data for 2011 and onwards, the statistics are only based on municipalities that submitted complete data. The denominator consists of the population. Aged 20–64 years.

A municipality may grant introductory allowance to refugees and certain other immigrants who have been received in a municipality as part of the municipal refugee reception process. The municipality determines the size of the introductory allowance. Not all municipalities use the possibility of granting introductory allowance to refugees. This is the case for around 50 municipalities in 2007. In some municipalities, introductory allowance is included in income support. As of 2012, introductory allowance is no longer included in the National Board of Health and Welfare's collection for financial assistance statistics, even though disbursements may continue for as long as introduction lasts.

Proportion of persons with foothold allowance, percent: The numerator consists of persons who received foothold allowance during the year. The denominator consists of the population. Aged 20–64 years.

Source: The Income and Taxation Register

Source: STATIV database

Latest update: 20240327 08:00

Source: Statistics Sweden

Units: proportion, percent

Data type: Stock

Reference period: Year

Database: Statistical database